


Rockprice

Your customized online price list
SPAIN - Edition 13-04-2026



ProRox®

Industrial
insulation

SeaRox®

Marine & Offshore
insulation

The Rockprice prices apply for Spain and are effective as of 01-05-2026

From one expert to another

Our customized online price list meets your needs



As experts we like to stay up to speed. Or better still: ahead of the curve. Our knowledge of the insulation business is second to none. Which means we are able to offer specialists like you a comprehensive range of innovative industrial and marine and offshore insulation products (through our ProRox® and SeaRox® lines). And we also ensure you benefit from our expertise. Our dedicated, technically experienced people are totally committed to providing the very best service and tools on the market. As well as a full range of cutting-edge insulation solutions for your maximum efficiency and convenience on the job.

Our newest tool is **Rockprice**. This user-friendly online price tool displays the current price of our latest ProRox and SeaRox solutions in real time, 24/7. Fully customized, simply select your products and create your own price list. How about that!

The idea behind Rockprice is simple: printed price lists very quickly become outdated, they cannot be customized and they are far from sustainable (all that paper!). We want to do something about that with this new online price tool. Over the following pages we'll show you how you can benefit from Rockprice. You will see that selecting the right product and creating dedicated price lists has never been so easy.

Should you need any further information about Rockprice, including how to use it, I invite you to see rockprice-rti.rockwool.com or contact your local ROCKWOOL® Technical Insulation representative. You can always count on us!

John Mogensen
*ROCKWOOL Technical Insulation
Managing Director*

See page 7 for your up-to-date customized product price overview.

Always check the latest prices on Rockprice, our online price tool.



"We are a global company on your doorstep."



How do you benefit from Rockprice?

This is what you get!


Rockprice is an online price tool that displays the prices of ROCKWOOL ProRox and SeaRox technical insulation product solutions in real time.

Stay connected with **Rockprice** wherever you are.



- User-friendly, accessible 24/7, wherever you are
- The latest ProRox and SeaRox products and prices online
- Dedicated, customized price list
- Create Exceles or PDFs for easy handling, calculations and printing

Create your own dedicated price lists!



Scan this QR code or click the link below


rockprice-rti.rockwool.com

to go directly to Rockprice.

So how does it work?


Rockprice is easy to use. Just go to rockprice-rti.rockwool.com and follow these simple steps.

Step 1: Sign up and log in



Sign up - or if you have already done so - enter your username and password to log in.

Step 2: Search for your products




Search for products in the product overview, with a direct search or by application.

Step 3: Browse the prices



Check all the prices. You can use your approved ROCKWOOL Technical Insulation discount.

Step 4: Create and export your price lists



Make dedicated price lists and export prices to Excel and PDF.

Tools & documentation

Looking for additional services and documentation on our solutions?
You can find all the information you need online.



DOP Finder

The fastest way to get a **Declaration of Performance** for our products is to download it from our website.

Download DOP:

<https://rti.rockwool.com/tools-and-documentation/tools/dop-finder/>




Rockassist

Use our free **online calculation tool** to calculate the ideal insulation thickness for all your technical installations in the process industry. The first step towards maximizing your operational energy efficiency and helping reduce your energy costs and CO₂ emissions!

Register to use Rockassist:

<https://www.rockassist.com/>




SeaRox Document Finder

Need type **approvals, product data sheets, drawings and other documents** for your Marine & Offshore project? Find everything you need fast with our online SeaRox Document Finder.

Find your documents:

<https://rti.rockwool.com/tools-and-documentation/tools/searox-document-finder/>



Marine certificates

MED, DNV, Lloyd's Register,... Select and download the **Marine & Offshore certificates** you need for our SeaRox solutions from our website.

Find your certificates:

<https://rti.rockwool.com/tools-and-documentation/marine-certificates/>



Documentation centre

To make it easy for you, we've brought together **all the information on our solutions** in our online documentation centre. You'll find all our brochures, product data sheets, installation guidelines and much more.

Visit our documentation centre:

<https://rti.rockwool.com/tools-and-documentation/documentation>




ProRox®

Industrial insulation

Our product names, a logical structure

Each product name is structured in the same clear way:

e.g.: **ProRox PS 960 ALU**




SeaRox®

Marine & Offshore insulation

Our product names, a logical structure

Each product name is structured in the same clear way:

e.g.: **SeaRox SL 620 ALU**



ProRox & SeaRox product packaging presentation

Mandrel wound pipe sections




Stretch wrapped (large diameters)



Boxed (small diameters)




Pipe section mats



Wired mats



Mats (wrap)



Slabs (boards)



Granulates & loose wool



Table of contents

| | |
|--|----|
| ProRox PS 960 | 8 |
| ProRox PS 960 ALU | 10 |
| ProRox PS 964ES | 11 |
| ProRox PS 970 | 13 |
| ProRox WM 950ES | 15 |
| ProRox WM 960ES | 16 |
| ProRox WM 970ES | 17 |
| ProRox SL 550 | 18 |
| ProRox SL 586 | 18 |
| ProRox SL 940ES | 19 |
| ProRox SL 960ES | 19 |
| ProRox GR 903 | 20 |
| ProRox LF 970 | 20 |
| ProRox MA 520 ALU | 21 |
| ProRox MA 950 ALU | 22 |
| SeaRox FB 6020 | 23 |
| SeaRox FB 6040 | 23 |
| SeaRox FB 6050 | 24 |
| SeaRox FM 6020 ALU | 24 |
| SeaRox FM 6050 ALU | 25 |
| SeaRox FM 6030 ALU | 25 |
| SeaRox FM 6040 ALU | 26 |
| SeaRox SL 320 | 26 |
| SeaRox SL 340 | 27 |
| SeaRox SL 436 | 27 |
| SeaRox SL 440 | 28 |
| SeaRox SL 480 | 28 |
| SeaRox SL 620 | 29 |
| SeaRox SL 640 | 30 |
| SeaRox SL 720 | 30 |
| SeaRox SL 740 | 31 |
| SeaRox LM 900 ALU | 31 |
| SeaRox MA 7000 ALU | 32 |
| SeaRox MA 720 ALU | 32 |
| SeaRox MA 740 ALU | 33 |
| SeaRox Tape ALU | 33 |
| SeaRox Tape GW-A | 34 |
| SeaRox Tape ALU-G | 34 |
| SeaRox Glass cloth GW200 | 34 |
| SeaRox Glass cloth ALU-G / GW-A | 35 |
| SeaRox Acoustic foil | 35 |

Industrial insulation - ProRox products

ProRox PS 960



ProRox PS 960 is a mandrel-wound stone wool insulation pipe section. The pipe sections are produced with an innovative water-repellent binder, known as WR-Tech™, to mitigate the risk of corrosion under insulation (CUI). WR-Tech ensures our stone wool maintains its superior water repellency even at elevated operating temperatures within the CUI range, while preserving its excellent thermal performance in use. Reinforced aluminium foil (ALU) facing is available upon request.

Application:

The highly durable insulation sections come split and hinged for easy snap-on assembly and are especially suitable for the thermal and acoustic insulation of industrial pipework, marine and offshore installations.



[View product details online](#)



In stock in small quantities

| Diameter | Thickness | 25 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 120 |
|----------|-----------------|---------|---------|---------|---------|---------|---------|----------|----------|----------|----------|
| 22 | Price / m | € 8.75 | € 11.39 | € 16.59 | € 21.50 | € 29.55 | | | | | |
| | Pieces / Box | 30 | 20 | 13 | 9 | 6 | | | | | |
| | Pieces / Pallet | 360 | 240 | 156 | 108 | 72 | | | | | |
| | Pallet code | 218688 | 227301 | 25816 | 25817 | 34999 | | | | | |
| 28 | Price / m | € 11.37 | € 13.56 | € 18.98 | € 24.47 | € 33.53 | € 41.77 | € 47.98 | | | |
| | Pieces / Box | 25 | 16 | 12 | 9 | 6 | 4 | 1 | | | |
| | Pieces / Pallet | 300 | 192 | 144 | 108 | 72 | 48 | 33 | | | |
| | Pallet code | 218688 | 227301 | 218675 | 218676 | 218694 | 211937 | 211474 | | | |
| 35 | Price / m | € 11.82 | € 17.12 | € 20.81 | € 26.73 | € 37.84 | € 45.38 | € 57.88 | € 74.06 | € 86.74 | |
| | Pieces / Box | 20 | 16 | 9 | 7 | 5 | 4 | 1 | 1 | 1 | |
| | Pieces / Pallet | 240 | 192 | 108 | 84 | 60 | 48 | 30 | 25 | 20 | |
| | Pallet code | 90174 | 218685 | 218684 | 218683 | 218686 | 218691 | 218696 | 105478 | 193129 | |
| 42 | Price / m | € 13.52 | € 17.30 | € 22.64 | € 28.97 | € 39.71 | € 49.11 | € 61.11 | € 77.69 | € 90.76 | |
| | Pieces / Box | 16 | 12 | 9 | 6 | 4 | 1 | 1 | 1 | 1 | |
| | Pieces / Pallet | 192 | 144 | 108 | 72 | 48 | - | 28 | - | 20 | |
| | Pallet code | 218689 | 218677 | 218678 | 25827 | 25828 | - | 193131 | - | 317842 | |
| 48 | Price / m | € 14.95 | € 18.90 | € 24.23 | € 30.89 | € 44.57 | € 54.17 | € 68.56 | € 80.75 | € 94.18 | |
| | Pieces / Box | 15 | 12 | 9 | 6 | 4 | 1 | 1 | 1 | 1 | |
| | Pieces / Pallet | 180 | 144 | 108 | 72 | 48 | 33 | 27 | - | 19 | |
| | Pallet code | 218690 | 218679 | 218653 | 218680 | 25832 | 24359 | 24360 | - | 24361 | |
| 60 | Price / m | € 19.00 | € 22.09 | € 28.56 | € 36.62 | € 49.65 | € 61.56 | € 79.24 | € 87.26 | € 102.72 | |
| | Pieces / Box | 11 | 9 | 6 | 5 | 4 | 1 | 1 | 1 | 1 | |
| | Pieces / Pallet | 132 | 108 | 72 | 60 | 48 | 30 | 24 | 20 | 16 | |
| | Pallet code | 218687 | 218681 | 218682 | 218739 | 25837 | 28519 | 24028 | 24362 | 24363 | |
| 70 | Price / m | € 20.25 | € 24.77 | € 34.24 | € 39.14 | € 53.29 | € 65.59 | € 83.68 | € 92.09 | € 107.26 | |
| | Pieces / Box | 9 | 8 | 5 | 4 | 1 | 1 | 1 | - | 1 | |
| | Pieces / Pallet | 108 | 96 | 60 | 48 | 33 | 25 | - | - | - | |
| | Pallet code | 28087 | 25841 | 25864 | 25843 | 28420 | 176733 | - | - | - | |
| 76 | Price / m | € 21.70 | € 26.37 | € 34.44 | € 41.22 | € 55.46 | € 68.04 | € 86.42 | € 95.24 | € 110.32 | € 142.88 |
| | Pieces / Box | 9 | 7 | 5 | 4 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | 108 | 84 | 60 | 48 | 30 | 25 | 20 | - | 14 | 11 |
| | Pallet code | 218741 | 218742 | 218649 | 218743 | 23448 | 28048 | 23570 | - | 72787 | 321743 |
| 89 | Price / m | € 24.81 | € 29.85 | € 34.93 | € 45.38 | € 60.18 | € 73.34 | € 92.23 | € 101.91 | € 117.81 | € 148.87 |
| | Pieces / Box | 6 | 6 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | 72 | 72 | 48 | 33 | 27 | 22 | 19 | 16 | 12 | 10 |
| | Pallet code | 25849 | 25850 | 224780 | 23574 | 23447 | 24029 | 24030 | 112372 | 24309 | 120026 |
| 102 | Price / m | € 27.94 | € 33.37 | € 38.34 | € 48.20 | € 64.92 | € 78.57 | € 98.05 | € 108.63 | € 125.24 | € 149.75 |
| | Pieces / Box | 5 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | 60 | 48 | 36 | 28 | 24 | 20 | 16 | - | 12 | - |
| | Pallet code | 25929 | 25930 | 115837 | 28736 | 24365 | 216645 | 111999 | - | 115830 | - |
| 108 | Price / m | € 29.37 | € 34.93 | € 39.89 | € 50.12 | € 67.10 | € 81.02 | € 100.72 | € 111.77 | € 128.74 | € 151.91 |
| | Pieces / Box | 5 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| | Pieces / Pallet | 60 | 48 | 33 | 25 | 23 | - | 16 | 12 | 11 | - |
| | Pallet code | 68945 | 25931 | 28735 | 28737 | 24366 | - | 28421 | 300608 | 129331 | - |
| 114 | Price / m | | € 37.33 | € 41.48 | € 52.07 | € 69.24 | € 83.46 | € 103.41 | € 114.84 | € 132.17 | € 160.15 |
| | Pieces / Box | | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | | 48 | 32 | 25 | 20 | 18 | 15 | 12 | 11 | 8 |
| | Pallet code | | 219422 | 23666 | 218761 | 218652 | 24087 | 23446 | 115833 | 24310 | 24407 |
| 121 | Price / m | | € 38.44 | € 43.29 | € 54.32 | € 71.81 | € 86.31 | € 106.52 | € 118.46 | € 136.18 | € 163.41 |
| | Pieces / Box | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| | Pieces / Pallet | | 36 | 30 | 24 | 20 | 14 | 12 | 11 | 11 | - |
| | Pallet code | | 26346 | 26233 | 26235 | 26348 | - | 26352 | 26354 | 26355 | - |
| 127 | Price / m | | € 40.00 | € 44.89 | € 56.23 | € 73.99 | € 88.73 | € 109.23 | € 121.54 | € 139.66 | € 166.39 |
| | Pieces / Box | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | | 33 | 27 | 23 | 19 | 16 | 12 | 12 | 10 | - |
| | Pallet code | | 24521 | 26237 | 26357 | 26359 | 280332 | 26363 | 26365 | 26239 | - |
| 133 | Price / m | | € 41.63 | € 46.45 | € 58.16 | € 76.18 | € 91.19 | € 111.92 | € 124.63 | € 143.15 | € 169.92 |
| | Pieces / Box | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | | 32 | 25 | 24 | 17 | 15 | 12 | 11 | 10 | - |
| | Pallet code | | 24031 | 24091 | 23571 | 24408 | 24409 | 24410 | 26245 | 26246 | - |
| 140 | Price / m | | € 43.50 | € 48.29 | € 60.41 | € 78.70 | € 94.02 | € 115.06 | € 128.28 | € 147.11 | € 172.54 |
| | Pieces / Box | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | | 30 | 24 | 20 | 16 | 14 | 12 | 11 | 9 | 8 |
| | Pallet code | | 23709 | 24088 | 24032 | 23991 | 26117 | 23445 | 26120 | 26122 | 26123 |

| Diameter | Thickness | 25 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 120 |
|----------|---|----|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| 159 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 45.44 1 25 24033 | € 53.23 1 20 26125 | € 66.48 1 16 24411 | € 85.61 1 14 26127 | € 101.77 1 12 26128 | € 123.54 1 11 26129 | € 138.10 1 - - | € 158.05 1 8 26131 | € 184.44 1 6 243600 |
| 169 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 51.25 1 22 23572 | € 55.86 1 19 23979 | € 69.67 1 16 23569 | € 89.23 1 12 23892 | € 108.55 1 11 218762 | € 128.01 1 10 23444 | € 143.23 1 9 115834 | € 163.80 1 8 24311 | € 190.81 1 6 24127 |
| 194 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 57.97 1 17 24413 | € 62.40 1 14 24414 | € 77.71 1 12 23618 | € 98.30 1 11 28230 | € 115.94 1 10 29316 | € 139.19 1 8 51205 | € 156.11 1 - - | € 178.21 1 6 112370 | € 206.78 1 - - |
| 219 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 64.63 1 14 23573 | € 69.82 1 12 23712 | € 85.73 1 11 23891 | € 107.39 1 9 23980 | € 126.12 1 8 24046 | € 150.43 1 8 23753 | € 169.06 1 6 27672 | € 192.57 1 6 23443 | € 228.64 1 5 115838 |
| 230 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 67.55 1 12 26133 | € 73.82 1 11 26134 | € 89.25 1 10 26135 | € 111.41 1 9 26136 | € 130.57 1 - - | € 155.30 1 6 301503 | € 174.72 1 6 295313 | € 198.90 1 5 26138 | € 229.74 1 5 312380 |
| 245 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 71.59 1 12 286754 | € 77.26 1 11 26188 | € 94.08 1 9 26181 | € 116.83 1 8 26189 | € 136.69 1 6 26371 | € 162.06 1 6 26190 | € 182.47 1 5 26191 | € 207.51 - 5 26192 | € 239.31 1 - - |
| 253 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 74.18 1 11 305129 | € 83.15 1 10 26826 | € 96.63 1 9 280344 | € 119.70 1 8 278739 | € 139.90 1 - - | € 165.67 1 - - | € 186.59 1 - - | € 212.12 1 - - | |
| 273 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 91.33 1 10 23981 | € 99.44 1 9 23982 | € 107.74 1 8 23983 | € 126.98 1 6 23984 | € 148.04 1 6 24047 | € 174.58 1 5 24313 | € 196.92 1 5 24415 | € 223.63 1 5 24337 | € 257.19 1 4 24268 |
| 305 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 106.28 1 8 268248 | € 120.00 1 6 28970 | € 138.73 1 6 26198 | € 148.61 1 5 26199 | € 164.85 1 5 26270 | € 188.93 1 5 26271 | € 213.44 1 4 26272 | € 242.06 1 4 26273 | € 277.56 1 - - |
| 324 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 108.45 1 6 56700 | € 124.47 1 6 24048 | € 143.23 1 5 23985 | € 153.03 1 5 23986 | € 169.21 1 5 24049 | € 197.41 1 4 27514 | € 223.25 1 20 280369 | € 253.02 1 18 280379 | € 289.68 1 16 317860 |
| 356 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 110.64 1 6 26224 | € 128.90 1 6 23987 | € 147.64 1 5 24050 | € 160.65 1 4 24051 | € 181.75 1 4 131837 | € 211.72 1 4 99739 | € 239.74 1 - - | € 271.41 1 - - | € 310.11 1 - - |
| 406 | Price / m Pieces / Box Pieces / Pallet Pallet code | | | € 134.92 1 4 26276 | € 153.92 1 4 24052 | € 175.26 1 18 309536 | € 207.39 1 16 280383 | € 234.10 1 16 280387 | € 265.59 1 14 280389 | € 300.16 1 14 309537 | € 353.04 1 - - |
| 419 | Price / m Pieces / Box Pieces / Pallet Pallet code | | | € 137.60 1 4 26277 | € 156.35 1 - - | € 180.00 1 - - | € 212.33 1 - - | € 239.93 1 - - | € 272.29 0 - - | € 307.63 1 12 280597 | € 361.25 1 - - |
| 456 | Price / m Pieces / Box Pieces / Pallet Pallet code | | | € 141.29 1 16 280395 | € 161.71 1 16 280396 | € 193.42 1 16 280398 | € 226.31 1 16 280401 | € 256.50 1 12 280402 | € 291.35 1 12 280403 | € 328.94 1 - - | € 384.09 1 - - |
| 508 | Price / m Pieces / Box Pieces / Pallet Pallet code | | | € 185.71 1 - - | € 217.94 1 14 280436 | € 221.37 1 - - | € 294.65 1 12 280438 | € 315.91 1 10 280442 | € 334.06 1 10 309599 | € 377.75 1 8 280447 | € 489.65 1 - - |
| 558 | Price / m Pieces / Box Pieces / Pallet Pallet code | | | € 201.33 1 - - | € 235.61 1 - - | € 241.13 1 10 280409 | € 314.84 1 8 280410 | € 339.84 1 - - | € 358.09 1 - - | € 406.47 1 6 281420 | € 526.91 1 - - |
| 610 | Price / m Pieces / Box Pieces / Pallet Pallet code | | | € 216.12 1 - - | € 253.25 1 8 280407 | € 258.95 1 8 280408 | € 338.21 1 - - | € 364.37 1 - - | € 383.91 1 - - | € 435.76 1 - - | € 564.88 1 - - |
| 660 | Price / m Pieces / Box Pieces / Pallet Pallet code | | | € 232.28 1 - - | € 270.60 1 - - | € 276.74 1 - - | € 359.24 1 - - | € 387.64 1 - - | € 408.84 1 - - | € 464.20 1 - - | € 601.69 1 - - |

In stock in small quantities

ProRox PS 960 ALU



ProRox PS 960 ALU is a mandrel-wound stone wool insulation pipe section, faced on one side with a reinforced aluminium foil. The pipe sections are produced with an innovative water-repellent binder, known as WR-Tech™, to mitigate the risk of corrosion under insulation (CUI). WR-Tech ensures our stone wool maintains its superior water repellency even at elevated operating temperatures within the CUI range, while preserving its excellent thermal performance in use.

Application:

The highly durable insulation sections come split and hinged for easy snap-on assembly and are especially suitable for the thermal and acoustic insulation of industrial pipework, marine and offshore installations.



[View product details online](#)



In stock in small quantities

| Diameter | Thickness | 30 | 40 | 50 | 60 | 80 | 100 |
|----------|---|---------------------------------------|---------------------------------------|--------------------------------------|-------------------------------------|--------------------------------------|--------------------------------------|
| 28 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 18.20 20 240 218711 | € 24.23 12 144 264997 | € 32.62 9 108 218729 | | | |
| 35 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 20.70 16 192 218713 | € 26.14 9 108 218714 | € 35.25 7 84 218731 | | | |
| 42 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 22.09 12 144 218715 | € 29.76 9 108 218726 | € 37.89 6 72 165710 | € 44.11 4 48 131469 | € 70.28 1 - - | € 104.37 1 20 172688 |
| 48 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 23.15 12 144 218716 | € 31.23 9 108 218730 | € 40.19 6 - - | € 46.82 4 48 131471 | € 78.84 1 27 170348 | € 108.30 - 19 170349 |
| 60 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 29.56 9 108 218718 | € 36.95 6 72 218727 | € 50.21 5 60 218753 | € 57.77 4 48 171642 | € 91.13 1 25 171668 | € 118.13 1 16 171670 |
| 76 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 38.39 7 84 218746 | € 42.66 5 60 218748 | € 56.76 4 48 218754 | € 66.12 1 30 133769 | € 99.39 1 20 131064 | € 126.86 1 14 171674 |
| 89 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 39.25 6 72 127498 | € 48.16 4 48 218755 | € 58.58 1 33 131476 | € 71.34 1 27 131477 | € 106.06 1 19 131655 | € 135.49 1 12 171690 |
| 102 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 42.65 4 48 171653 | € 51.53 4 - - | € 61.14 1 28 171693 | € 75.27 1 24 171695 | € 112.76 - 16 170794 | € 144.02 - - - |
| 108 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 44.23 4 48 166143 | € 53.29 1 33 170220 | € 63.65 1 27 136502 | € 78.04 1 23 165486 | € 115.83 1 16 317164 | € 148.05 1 11 136505 |
| 114 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 45.77 4 48 218764 | € 55.13 1 32 131478 | € 66.12 1 25 218767 | € 80.80 1 20 218768 | € 118.92 1 14 128733 | € 152.00 1 11 131834 |
| 133 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 60.49 1 25 170224 | € 72.31 1 24 136504 | € 84.29 1 - - | € 128.70 1 - - | € 164.62 - - - |

| Diameter | Thickness | 30 | 40 | 50 | 60 | 80 | 100 |
|----------|---|----|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|
| 140 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 62.78 1 24 131539 | € 75.00 1 - - | € 84.84 1 16 131540 | € 132.32 1 12 131542 | € 169.17 1 9 171610 |
| 159 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 68.88 1 20 170226 | € 82.17 1 16 166141 | € 89.78 1 14 170723 | € 142.07 - - - | € 181.75 1 8 166146 |
| 169 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 72.10 1 19 170228 | € 85.96 1 16 131546 | € 98.42 1 12 170726 | € 147.21 1 10 131547 | € 188.36 1 8 131061 |
| 194 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 83.15 1 14 170234 | € 96.80 1 12 131656 | € 113.05 1 11 170730 | € 160.07 1 - - | € 204.94 1 6 171613 |
| 219 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 89.92 1 12 170235 | € 108.38 1 11 131549 | € 120.28 1 9 170732 | € 173.00 1 8 131647 | € 221.45 1 6 131648 |
| 245 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 104.17 1 10 170242 | € 120.60 - 9 170699 | € 137.85 1 8 170735 | € 186.37 - - - | € 238.64 - - - |
| 273 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 120.48 1 9 170245 | € 135.10 1 8 131650 | € 146.90 1 6 170738 | € 200.76 - - - | € 257.17 1 - - |

In stock in small quantities

ProRox PS 964ES



ProRox PS 964ES is a cut stone wool insulation pipe section.

Application:

The cut insulation sections are suitable for thermal insulation of industrial pipework.



[View product details online](#)



In stock in small quantities

| Diameter | Thickness | 30 | 40 | 50 | 60 | 80 |
|----------|---|-------------------------------|-------------------------------|------------------------|------------------------------|----|
| 21 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 7.72 25 149 265130 | € 10.02 16 77 131233 | € 14.60 9 - - | € 20.09 6 - - | |
| 27 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 8.51 20 117 265134 | € 11.11 14 77 131252 | € 15.96 9 - - | € 21.60 6 45 265139 | |

| Diameter | Thickness | 30 | 40 | 50 | 60 | 80 |
|----------|---|-------------------------------|-------------------------------|------------------------------|------------------------------|------------------------------|
| 33 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 9.29 20 - - | € 12.26 12 70 131254 | € 17.28 9 52 265153 | € 23.07 5 - - | |
| 42 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 10.45 16 - - | € 13.95 9 - - | € 19.25 6 - - | € 25.31 4 - - | € 48.92 3 22 251996 |
| 48 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 11.19 12 - - | € 15.07 9 - - | € 20.60 6 42 265156 | € 27.18 4 - - | € 50.98 3 20 252531 |
| 60 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 12.81 10 63 265157 | € 17.31 8 45 131258 | € 23.22 5 34 265158 | € 30.35 4 - - | € 55.10 2 18 252695 |
| 76 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 14.86 9 - - | € 20.31 6 35 131259 | € 26.75 4 30 164502 | € 33.64 4 - - | € 60.53 2 15 252632 |
| 89 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 16.58 6 42 265159 | € 22.77 5 28 131261 | € 29.65 4 - - | € 36.90 3 - - | € 64.98 1 13 220178 |
| 114 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 19.85 4 30 265160 | € 27.41 4 24 208597 | € 35.14 3 18 164475 | € 43.04 2 - - | € 73.54 2 10 220371 |
| 140 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 23.20 4 - - | € 32.28 2 18 252719 | € 40.90 2 - - | € 49.46 2 - - | € 82.43 1 9 220169 |
| 169 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 26.99 3 - - | € 37.74 2 12 131264 | € 47.31 2 15 119020 | € 56.56 2 12 252638 | € 92.37 1 8 220165 |
| 219 | Price / m Pieces / Box Pieces / Pallet Pallet code | € 33.47 1 17 265212 | € 47.08 - 14 134015 | € 58.34 2 12 89783 | € 68.92 1 10 265214 | € 109.46 1 7 252642 |

In stock in small quantities

ProRox PS 970



ProRox PS 970 is a mandrel-wound stone wool insulation pipe section. The pipe sections are produced with an innovative water-repellent binder, known as WR-Tech™, to mitigate the risk of corrosion under insulation (CUI). WR-Tech ensures our stone wool maintains its superior water repellency even at elevated operating temperatures within the CUI range, while preserving its excellent thermal performance in use. Reinforced aluminium foil (ALU) facing is available upon request.

Application:

The highly durable insulation sections come split and hinged for easy snap-on assembly and are especially suitable for the thermal and acoustic insulation of high-temperature industrial pipework subjected to mechanical loads.



[View product details online](#)



In stock in small quantities

| Diameter | Thickness | 25 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 |
|----------|-----------------|---------|---------|---------|----------|----------|----------|----------|----------|----------|
| 28 | Price / m | € 12.57 | € 16.17 | € 22.56 | € 29.79 | € 42.34 | € 54.29 | € 62.40 | | |
| | Pieces / Box | 25 | 16 | 12 | 9 | 6 | 4 | 1 | | |
| | Pieces / Pallet | 300 | 192 | 144 | 108 | - | 48 | - | | |
| | Pallet code | 311826 | 251598 | 322097 | 105125 | - | 322099 | - | | |
| | | | | | | | | | | |
| 35 | Price / m | € 13.97 | € 17.97 | € 24.82 | € 32.59 | € 47.74 | € 58.99 | € 73.74 | | |
| | Pieces / Box | 20 | 16 | 9 | 7 | 5 | 4 | 1 | | |
| | Pieces / Pallet | 240 | 192 | 108 | 84 | 60 | 48 | 30 | | |
| | Pallet code | 311827 | 105128 | 248759 | 105127 | 105207 | 322098 | 105280 | | |
| | | | | | | | | | | |
| 42 | Price / m | € 15.91 | € 20.08 | € 27.10 | € 35.43 | € 51.02 | € 63.88 | € 79.40 | € 90.11 | |
| | Pieces / Box | 16 | 12 | 9 | 6 | 4 | 4 | 1 | - | |
| | Pieces / Pallet | - | 144 | 108 | 72 | - | - | - | - | |
| | Pallet code | - | 248741 | 103887 | 103888 | - | - | - | - | |
| | | | | | | | | | | |
| 48 | Price / m | € 17.55 | € 21.91 | € 29.07 | € 37.84 | € 53.80 | € 68.37 | € 86.49 | € 100.12 | € 114.37 |
| | Pieces / Box | 15 | 12 | 9 | 6 | 4 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | 180 | 144 | 108 | 72 | 48 | 33 | 27 | - | 19 |
| | Pallet code | 292431 | 105126 | 248762 | 105130 | 105129 | 322100 | 105284 | - | 322519 |
| | | | | | | | | | | |
| 60 | Price / m | € 23.53 | € 28.57 | € 37.17 | € 47.59 | € 59.37 | € 77.79 | € 97.28 | € 113.47 | € 133.55 |
| | Pieces / Box | 11 | 9 | 6 | 5 | 4 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | 132 | 108 | 72 | 60 | 48 | 30 | 24 | 20 | 16 |
| | Pallet code | 322520 | 105132 | 322081 | 103889 | 244815 | 229948 | 284416 | 322522 | 322524 |
| | | | | | | | | | | |
| 70 | Price / m | € 25.87 | € 30.10 | € 44.54 | € 50.90 | € 64.03 | € 82.93 | € 103.01 | € 118.39 | € 138.72 |
| | Pieces / Box | 9 | 8 | 5 | 4 | 1 | 1 | 1 | - | 1 |
| | Pieces / Pallet | - | 96 | - | - | - | - | - | - | - |
| | Pallet code | - | 273045 | - | - | - | - | - | - | - |
| | | | | | | | | | | |
| 76 | Price / m | € 27.18 | € 31.28 | € 44.83 | € 53.60 | € 66.74 | € 86.01 | € 106.41 | € 121.37 | € 141.87 |
| | Pieces / Box | 9 | 7 | 5 | 4 | 1 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | 108 | - | 60 | 48 | - | - | 20 | - | 14 |
| | Pallet code | 321721 | - | 248763 | 105139 | - | - | 322088 | - | 105211 |
| | | | | | | | | | | |
| 89 | Price / m | € 30.10 | € 34.67 | € 45.40 | € 55.87 | € 72.79 | € 92.72 | € 113.81 | € 127.57 | € 148.56 |
| | Pieces / Box | 6 | 6 | 4 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | 72 | 72 | 48 | 33 | 27 | 22 | 19 | 16 | 12 |
| | Pallet code | 322521 | 229145 | 105138 | 105230 | 248780 | 229931 | 105212 | 322526 | 105232 |
| | | | | | | | | | | |
| 102 | Price / m | € 32.73 | € 38.02 | € 46.60 | € 59.60 | € 78.80 | € 99.41 | € 121.28 | € 135.44 | € 155.18 |
| | Pieces / Box | 5 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | 60 | - | 36 | 28 | 24 | 20 | - | - | 12 |
| | Pallet code | 321724 | - | 257804 | 322154 | 244816 | 245668 | - | - | 320987 |
| | | | | | | | | | | |
| 114 | Price / m | | € 41.62 | € 50.47 | € 64.45 | € 84.36 | € 105.56 | € 128.13 | € 143.26 | € 161.43 |
| | Pieces / Box | | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | | 48 | 32 | 25 | 20 | 18 | 15 | - | 11 |
| | Pallet code | | 229146 | 105233 | 105234 | 105286 | 229930 | 105272 | - | 322155 |
| | | | | | | | | | | |
| 127 | Price / m | | € 45.47 | € 54.71 | € 69.67 | € 90.38 | € 113.00 | € 135.57 | € 151.79 | € 171.80 |
| | Pieces / Box | | 1 | 1 | 1 | 1 | - | 1 | - | 1 |
| | Pieces / Pallet | | - | 27 | 24 | - | - | 12 | - | - |
| | Pallet code | | - | 248785 | 316245 | - | - | 363049 | - | - |
| | | | | | | | | | | |
| 140 | Price / m | | € 49.40 | € 58.93 | € 74.91 | € 96.37 | € 118.95 | € 142.98 | € 160.27 | € 176.62 |
| | Pieces / Box | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | | 30 | 24 | 20 | 16 | 14 | 12 | 11 | 9 |
| | Pallet code | | 244820 | 248766 | 51565 | 105274 | 245667 | 244817 | 312076 | 261704 |
| | | | | | | | | | | |
| 169 | Price / m | | € 58.06 | € 68.39 | € 86.61 | € 109.83 | € 133.91 | € 159.54 | € 179.26 | € 196.25 |
| | Pieces / Box | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | | 22 | 19 | 16 | 12 | 11 | 10 | 9 | 8 |
| | Pallet code | | 248747 | 216642 | 105275 | 105287 | 244818 | 252530 | 322090 | 311024 |
| | | | | | | | | | | |
| 194 | Price / m | | € 65.55 | € 79.94 | € 98.20 | € 121.42 | € 146.77 | € 173.82 | € 195.60 | € 213.16 |
| | Pieces / Box | | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 |
| | Pieces / Pallet | | 17 | 14 | 12 | - | - | - | - | 6 |
| | Pallet code | | 248751 | 248767 | 248772 | - | - | - | - | 363055 |
| | | | | | | | | | | |
| 219 | Price / m | | € 77.39 | € 86.42 | € 108.60 | € 132.98 | € 159.62 | € 188.11 | € 211.95 | € 230.09 |
| | Pieces / Box | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Pieces / Pallet | | 14 | 12 | 11 | 9 | 8 | 8 | 6 | 6 |
| | Pallet code | | 248752 | 311050 | 216641 | 105282 | 245784 | 105276 | 322096 | 105283 |
| | | | | | | | | | | |

| Diameter | Thickness | 25 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 |
|----------|---|----|--------------------------------------|--------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| 245 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 87.93 1 - - | € 100.48 1 11 303297 | € 117.25 1 9 248773 | € 144.99 1 - - | € 173.03 1 6 245785 | € 202.99 1 6 322533 | € 229.64 - - - | € 239.96 - - - |
| 273 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 114.48 1 10 248754 | € 118.38 1 9 248768 | € 140.05 1 8 105279 | € 158.01 1 6 322534 | € 187.45 1 6 311401 | € 218.93 1 5 105278 | € 247.31 1 5 322535 | € 266.62 1 5 105277 |
| 324 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 141.03 1 6 321729 | € 161.79 1 6 248770 | € 186.18 1 5 216640 | € 198.89 1 5 248783 | € 219.99 1 5 311059 | € 248.12 1 4 211935 | € 280.66 1 4 311061 | € 301.15 1 16 263977 |
| 356 | Price / m Pieces / Box Pieces / Pallet Pallet code | | € 143.84 1 - - | € 167.52 1 6 322166 | € 191.93 1 5 248777 | € 204.69 1 4 248784 | € 230.15 1 4 245787 | € 266.38 1 18 322529 | € 301.57 1 16 322528 | € 326.73 1 16 262694 |
| 406 | Price / m Pieces / Box Pieces / Pallet Pallet code | | | € 175.40 1 - - | € 200.12 1 - - | € 219.56 1 - - | € 269.60 1 - - | € 296.02 1 16 305696 | € 334.25 1 - - | € 356.63 1 16 306264 |
| 456 | Price / m Pieces / Box Pieces / Pallet Pallet code | | | € 183.65 1 - - | € 208.35 1 - - | € 242.66 1 - - | € 294.21 1 - - | € 323.52 1 12 306254 | € 367.02 1 - - | € 390.46 1 - - |
| 508 | Price / m Pieces / Box Pieces / Pallet Pallet code | | | € 241.42 1 - - | € 283.30 1 - - | € 287.78 1 - - | € 383.01 1 - - | € 410.68 1 10 262700 | € 434.25 1 - - | € 491.08 1 - - |
| 558 | Price / m Pieces / Box Pieces / Pallet Pallet code | | | € 261.70 1 - - | € 296.28 1 - - | € 313.43 1 - - | € 409.26 1 - - | € 441.81 1 - - | € 465.47 1 - - | € 528.42 1 - - |
| 610 | Price / m Pieces / Box Pieces / Pallet Pallet code | | | € 280.91 1 - - | € 329.20 1 - - | € 336.59 1 - - | € 439.70 1 - - | € 473.67 1 - - | € 499.09 1 - - | € 566.43 1 - - |
| 660 | Price / m Pieces / Box Pieces / Pallet Pallet code | | | | € 351.74 1 - - | € 417.78 - - - | € 483.67 1 - - | € 521.04 - - - | € 532.67 - - - | € 623.07 1 6 302135 |

In stock in small quantities

ProRox WM 950ES



ProRox WM 950 is a lightly bonded stone wool insulation mat stitched on galvanized wire mesh with galvanized wire. Stainless steel mesh and binding wire (SW), and/or reinforced aluminium foil (ALU) facing are available upon request. The wired mats are produced with an innovative water-repellent binder, known as WR-Tech™, to mitigate the risk of corrosion under insulation (CUI). WR-Tech ensures our stone wool maintains its superior water repellency even at elevated operating temperatures within the CUI range, while preserving its excellent thermal performance in use.

Application:

The wired mat is suitable for the thermal and acoustic insulation of industrial installations exposed to the environment when high-temperature resistance is demanded, such as industrial pipework, reactors and hot columns at petrochemical plants and refineries.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| 40 | 1000 | 4800 | 251417 | ● | PAL | 4.80 | 86.40 | 18 | 1 | 22 | 2246.40 | 3.46 | € 27.18 |
| 50 | 1000 | 4800 | 251419 | ● | PAL | 4.80 | 86.40 | 18 | 1 | 22 | 2246.40 | 3.464 | € 33.58 |
| 60 | 1000 | 4800 | 251363 | ■ | PAL | 4.80 | 48.00 | 10 | 1 | 11 | 624.00 | 2.773 | € 37.00 |
| 60 | 1000 | 4800 | 251421 | ■ | PAL | 4.80 | 72.00 | 15 | 1 | 11 | 936.00 | 4.155 | € 37.00 |
| 80 | 1000 | 2400 | 251418 | ● | PAL | 2.40 | 43.20 | 18 | 1 | 22 | 1123.20 | 3.46 | € 47.29 |
| 100 | 1000 | 2400 | 251362 | ● | PAL | 2.40 | 43.20 | 18 | 1 | 22 | 1123.20 | 3.46 | € 54.56 |
| 120 | 1000 | 2400 | 251502 | ▲ | PAL | 2.40 | 43.20 | 18 | 8 | 22 | 1123.20 | 3.46 | € 64.68 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

ProRox WM 960ES



ProRox WM 960 is a lightly bonded heavy-duty stone wool insulation mat stitched on galvanized wired mesh with galvanized wire. Stainless steel mesh and binding wire (SW), and/or reinforced aluminium foil (ALU) facing are available upon request. The wired mats are produced with an innovative water-repellent binder, known as WR-Tech™, to mitigate the risk of corrosion under insulation (CUI). WR-Tech ensures our stone wool maintains its superior water repellency even at elevated operating temperatures within the CUI range, while preserving its excellent thermal performance in use.

Application:

The wired mat is especially suitable for the thermal insulation of industrial applications when high-temperature resistance is demanded, such as high-pressure steam pipes, reactors and furnaces.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| 40 | 1000 | 4800 | 254313 | ● | PAL | 4.80 | 86.40 | 18 | 1 | 22 | 2246.40 | 3.464 | € 32.25 |
| 50 | 1000 | 4800 | 97068 | ● | PAL | 4.80 | 86.40 | 18 | 1 | 22 | 2246.40 | 3.46 | € 37.77 |
| 60 | 1000 | 4800 | 69932 | ● | PAL | 4.80 | 48.00 | 10 | 1 | 11 | 624.00 | 2.77 | € 44.11 |
| 60 | 1000 | 4800 | 69914 | ● | PAL | 4.80 | 72.00 | 15 | 1 | 11 | 936.00 | 4.15 | € 44.11 |
| 70 | 1000 | 4800 | 116741 | ● | PAL | 4.80 | 48.00 | 10 | 1 | 11 | 624.00 | 2.77 | € 50.29 |
| 70 | 1000 | 4800 | 116748 | ● | PAL | 4.80 | 72.00 | 15 | 1 | 11 | 936.00 | 4.15 | € 50.29 |
| 80 | 1000 | 2400 | 254316 | ● | PAL | 2.40 | 43.20 | 18 | 1 | 22 | 1123.20 | 3.464 | € 55.84 |
| 100 | 1000 | 2400 | 69334 | ● | PAL | 2.40 | 43.20 | 18 | 1 | 22 | 1123.20 | 3.46 | € 65.64 |
| 120 | 1000 | 2400 | 97071 | ● | PAL | 2.40 | 24.00 | 10 | 1 | 11 | 312.00 | 2.77 | € 75.45 |
| 120 | 1000 | 2400 | 97070 | ● | PAL | 2.40 | 36.00 | 15 | 1 | 11 | 468.00 | 4.15 | € 75.45 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

ProRox WM 970ES



ProRox WM 970 is a lightly bonded heavy-duty stone wool insulation mat stitched on galvanized wired mesh with galvanized wire. Stainless steel mesh, stainless steel binding wire (SW) and/or reinforced aluminium foil (ALU) facing are available upon request. The wired mats are produced with an innovative water-repellent binder, known as WR-Tech™, to mitigate the risk of corrosion under insulation (CUI). WR-Tech ensures our stone wool maintains its superior water repellency even at elevated operating temperatures within the CUI range, while preserving its excellent thermal performance in use.

Application:

The wired mat is especially suitable for the thermal insulation of industrial applications when high-temperature resistance is demanded, such as steam generators and reactors.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| 40 | 1000 | 4800 | 75801 | ▲ | PAL | 4.80 | 48.00 | 10 | 12 | 11 | 624.00 | 2.77 | € 41.47 |
| 40 | 1000 | 4800 | 75800 | ▲ | PAL | 4.80 | 72.00 | 15 | 8 | 11 | 936.00 | 4.15 | € 41.47 |
| 50 | 1000 | 4800 | 75803 | ● | PAL | 4.80 | 48.00 | 10 | 1 | 11 | 624.00 | 2.77 | € 48.28 |
| 50 | 1000 | 4800 | 75802 | ● | PAL | 4.80 | 72.00 | 15 | 1 | 11 | 936.00 | 4.15 | € 48.28 |
| 60 | 1000 | 2400 | 179141 | ▲ | PAL | 2.40 | 50.40 | 21 | 8 | 11 | 655.20 | 2.97 | € 55.83 |
| 60 | 1000 | 2400 | 179138 | ▲ | PAL | 2.40 | 67.20 | 28 | 6 | 11 | 873.60 | 3.95 | € 55.83 |
| 70 | 1000 | 2400 | 75805 | ■ | PAL | 2.40 | 43.20 | 18 | 1 | 22 | 1123.20 | 3.46 | € 65.88 |
| 80 | 1000 | 2400 | 172830 | ■ | PAL | 2.40 | 43.20 | 18 | 1 | 22 | 1123.20 | 3.464 | € 70.19 |
| 100 | 1000 | 2400 | 75813 | ● | PAL | 2.40 | 24.00 | 10 | 1 | 11 | 312.00 | 2.77 | € 83.59 |
| 100 | 1000 | 2400 | 75811 | ● | PAL | 2.40 | 36.00 | 15 | 1 | 11 | 468.00 | 4.15 | € 83.59 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

ProRox SL 550



ProRox SL 550 is a strong, rigid stone wool insulation slab (board).

Application:

The slab (board) is suitable for the thermal and acoustic insulation of industrial applications subjected to mechanical loads, such as tank roofs.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| 50 | 600 | 1000 | 256812 | ▲ | PAL | 3.60 | 6 | 57.60 | 16 | 7 | 22 | 1497.60 | 3.653 | € 28.41 |
| 60 | 600 | 1000 | 256815 | ▲ | PAL | 2.40 | 4 | 48.00 | 20 | 7 | 22 | 1248.00 | 3.653 | € 33.97 |
| 80 | 600 | 1000 | 256817 | ▲ | PAL | 2.40 | 4 | 38.40 | 16 | 7 | 22 | 998.40 | 3.653 | € 41.22 |
| 100 | 600 | 1000 | 256818 | ▲ | PAL | 1.80 | 3 | 28.80 | 16 | 7 | 22 | 748.80 | 3.653 | € 53.45 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

ProRox SL 586



ProRox SL 586 is a pressure-resistant rigid stone wool insulation slab (board).

Application:

The slab (board) is suitable for the thermal and acoustic insulation of high-temperature industrial applications exposed to foot traffic or constructions subjected to heavy mechanical loads, such as tank roofs.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| 40 | 600 | 1000 | 283010 | ▲ | PAL | 4.20 | 7 | 75.60 | 18 | 5 | 22 | 1965.60 | 3.653 | € 27.59 |
| 50 | 600 | 1000 | 285909 | ■ | PAL | 2.40 | 4 | 62.40 | 26 | 1 | 22 | 1622.40 | 3.653 | € 33.97 |
| 60 | 600 | 1000 | 283013 | ■ | PAL | 2.40 | 4 | 48.00 | 20 | 1 | 22 | 1248.00 | 3.653 | € 42.33 |
| 80 | 600 | 1000 | 287297 | ▲ | PAL | 1.80 | 3 | 36.00 | 20 | 5 | 22 | 936.00 | 3.653 | € 56.25 |
| 100 | 600 | 1000 | 283015 | ■ | PAL | 1.20 | 2 | 31.20 | 26 | 1 | 22 | 811.20 | 3.653 | € 69.05 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

ProRox SL 940ES

ProRox SL 940ES is a rigid stone wool insulation slab (board).



Application:

The slab (board) is suitable for the thermal and acoustic insulation of high-temperature industrial applications, such as tank walls, vessels and columns.



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| 40 | 600 | 1200 | 127540 | ■ | PAL | 7.20 | 10 | 86.40 | 12 | 1 | 22 | 1900.80 | 4.318 | € 18.89 |
| 50 | 600 | 1200 | 127536 | ● | PAL | 5.76 | 8 | 69.12 | 12 | 1 | 22 | 1520.64 | 3.81 | € 23.72 |
| 60 | 600 | 1200 | 130139 | ■ | PAL | 5.04 | 7 | 60.48 | 12 | 1 | 22 | 1330.56 | 4.318 | € 28.38 |
| 80 | 600 | 1200 | 127543 | ■ | PAL | 3.60 | 5 | 43.20 | 12 | 1 | 22 | 950.40 | 4.318 | € 38.02 |
| 100 | 600 | 1200 | 127544 | ■ | PAL | 2.88 | 4 | 34.56 | 12 | 1 | 22 | 760.32 | 3.81 | € 47.53 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

ProRox SL 960ES

ProRox SL 960ES is a strong, rigid stone wool insulation slab (board). Reinforced aluminium foil (ALU) facing is available upon request.



Application:

The slab (board) is suitable for the thermal and acoustic insulation of high-temperature industrial applications, such as boilers, vessels, columns and flue gas ducts.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| 40 | 600 | 1200 | 130824 | ▲ | PAL | 5.76 | 8 | 92.16 | 16 | 14 | 22 | 2027.52 | 4.318 | € 25.87 |
| 50 | 600 | 1200 | 128837 | ■ | PAL | 5.76 | 8 | 69.12 | 12 | 1 | 22 | 1520.64 | 4.318 | € 31.33 |
| 60 | 600 | 1200 | 239595 | ■ | PAL | 5.04 | 7 | 60.48 | 12 | 1 | 22 | 1330.56 | 4.318 | € 37.61 |
| 80 | 600 | 1200 | 162662 | ■ | PAL | 3.60 | 5 | 43.20 | 12 | 1 | 22 | 950.40 | 4.318 | € 54.32 |
| 100 | 600 | 1200 | 130825 | ■ | PAL | 2.88 | 4 | 34.56 | 12 | 1 | 22 | 760.32 | 4.318 | € 66.65 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

ProRox GR 903



ProRox GR 903 is a stone wool insulation product in granulated form.

Application:

This product is especially suitable for the thermal and acoustic insulation of cold boxes and air separation plants. It can also be used for insulation of high-temperature industrial applications, such as voids.



[View product details online](#)

Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Product code | Delivery | Base Unit | MOQ | KG | Pallet / Camion | Loading factor | Price |
|--------------|----------|-----------|-----|-------------|-----------------|----------------|---------------|
| 73435 | ● | KG | 1 | 240 KG/palé | 56 | 0.008 | € 5.77 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

ProRox LF 970



ProRox LF 970 is a lightly bonded loose-fill, impregnated stone wool insulation product.

Application:

This product is especially suitable for the thermal and acoustic insulation of voids, joints and irregularly formed constructions.



[View product details online](#)

Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | KG | Pallet / Camion | Area / Camion | Loading factor | Price |
|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-------------|-----------------|---------------|----------------|---------------|
| 80 | 950 | 2650 | 108407 | ● | PAL | 1.29 | 1 | 36.00 | 28 | 1 | 420 KG/palé | 13 | 468.00 | 8.57 | € 6.22 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

ProRox MA 520 ALU



ProRox MA 520 ALU is a compression-resistant, flexible stone wool insulation mat (wrap) with a predominantly vertical fiber structure, faced on one side with reinforced aluminium foil.

Application:

The mat (wrap) is suitable for the thermal and acoustic insulation of industrial applications up to intermediate temperatures, such as large diameter piping, vessels, ducts and equipment. ProRox MA 520 ALU is temporary not available in packs but will be delivered only per pallet. Please ask your local sales representative for more information.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| 30 | 500 | 8000 | 65788 | ▲ | PAC | 8.00 | 2 | | | 1 | | | 0.264 | € 38.10 |
| 50 | 500 | 5000 | 57260 | ▲ | PAC | 5.00 | 2 | | | 1 | | | 0.275 | € 49.21 |
| 80 | 500 | 3500 | 61897 | ▲ | PAC | 3.50 | 2 | | | 1 | | | 0.308 | € 73.29 |
| 80 | 500 | 2000 | 65795 | ▲ | PAL | 30.00 | 1 | 30.00 | 0 | 1 | 21 | 630.00 | 4.28 | € 55.70 |
| 100 | 500 | 3000 | 61712 | ▲ | PAC | 3.00 | 2 | | | 1 | | | 0.282 | € 84.36 |
| 100 | 500 | 2000 | 61365 | ▲ | PAL | 1.00 | 1 | 24.00 | 24 | 1 | 21 | 504.00 | 4.28 | € 65.71 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

ProRox MA 950 ALU

ProRox MA 950 ALU is a rigid stone wool insulation mat (wrap) faced on one side with reinforced aluminium foil.



Application:

The mat (wrap) is suitable for the insulation of industrial applications such as vessels, columns and irregular shaped constructions. Materials should be ordered in Full Truck Load of is 22 pallet, any combination of thicknesses is allowed.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| 30 | 1000 | 5000 | 293463 | ▲ | PAL | 90.00 | 1 | 90.00 | 0 | 1 | 22 | 1980.00 | 4.318 | € 24.34 |
| 40 | 1000 | 5000 | 293461 | ▲ | PAL | 70.00 | 1 | 70.00 | 0 | 1 | 22 | 1540.00 | 4.318 | € 28.79 |
| 50 | 1000 | 5000 | 293565 | ▲ | PAL | 60.00 | 1 | 60.00 | 0 | 1 | 22 | 1320.00 | 4.318 | € 32.33 |
| 60 | 1000 | 3000 | 293472 | ▲ | PAL | 48.00 | 1 | 48.00 | 0 | 1 | 22 | 1056.00 | 4.318 | € 36.67 |
| 80 | 1000 | 3000 | 293566 | ▲ | PAL | 36.00 | 1 | 36.00 | 0 | 1 | 22 | 792.00 | 4.318 | € 46.81 |
| 100 | 1000 | 2500 | 293570 | ▲ | PAL | 2.50 | 1 | 30.00 | 12 | 1 | 22 | 660.00 | 4.318 | € 57.09 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

Marine and offshore insulation - SeaRox products

SeaRox FB 6020



SeaRox FB 6020 is a lightweight stone wool insulation slab (board). Reinforced aluminium foil (ALU) and glass cloth (GW200, GW400, GW-A, ALU-G) facings are available upon request.

Application:

The slab (board) is suitable for fire rated A-class steel constructions where low weight plays an important role, such as, onboard passenger ships, naval ships and offshore supply vessels.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|---------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| DESNUDO | 70 | 600 | 1200 | 247987 | ■ | PAL | 4.32 | 6 | 51.84 | 12 | 1 | 22 | 1140.48 | 4.318 | € 40.86 |
| ALU | 70 | 600 | 1000 | 205406 | ■ | PAL | 4.80 | 8 | 76.80 | 16 | 1 | 14 | 1075.20 | 6.92 | € 52.03 |
| GW-A | 70 | 600 | 1000 | 351949 | ■ | PAL | 4.80 | 8 | 76.80 | 16 | 1 | 14 | 1075.20 | 6.92 | € 66.87 |
| ALU-G | 70 | 600 | 1000 | 352944 | ▲ | PAL | 4.80 | 8 | 76.80 | 16 | 19 | 14 | 1075.20 | 6.92 | € 65.33 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox FB 6040



SeaRox FB 6040 is a lightweight stone wool insulation slab (board). Reinforced aluminium foil (ALU) and glass cloth (GW200, GW400, GW-A, ALU-G) facings are available upon request.

Application:

The slab (board) is suitable for fire rated A-class steel constructions where low weight plays an important role, such as, onboard passenger ships, naval ships and offshore supply vessels.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|---------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| DESNUDO | 35 | 600 | 1000 | 269981 | ■ | PAL | 7.20 | 12 | 72.00 | 10 | 1 | 25 | 1800.00 | 3.6 | € 30.62 |
| DESNUDO | 70 | 600 | 1000 | 205414 | ■ | PAL | 3.60 | 6 | 36.00 | 10 | 1 | 25 | 900.00 | 3.6 | € 61.23 |
| ALU | 35 | 600 | 1000 | 269982 | ■ | PAL | 7.20 | 12 | 72.00 | 10 | 1 | 25 | 1800.00 | 3.6 | € 42.38 |
| ALU | 70 | 600 | 1000 | 205425 | ■ | PAL | 3.60 | 6 | 36.00 | 10 | 1 | 25 | 900.00 | 3.6 | € 72.76 |
| GW-A | 35 | 600 | 1000 | 352676 | ■ | PAL | 7.20 | 12 | 72.00 | 10 | 1 | 25 | 1800.00 | 3.6 | € 50.68 |
| GW-A | 70 | 600 | 1000 | 351952 | ■ | PAL | 2.40 | 4 | 38.40 | 16 | 1 | 25 | 960.00 | 3.5 | € 75.72 |
| ALU-G | 70 | 600 | 1000 | 352945 | ▲ | PAL | 2.40 | 4 | 38.40 | 16 | 25 | 25 | 960.00 | 3.5 | € 74.50 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox FB 6050



SeaRox FB 6050 is a lightweight stone wool insulation slab (board). Reinforced aluminium foil (ALU) and glass cloth (GW200, GW400, GW-A, ALU-G) facings are available upon request.

Application:

The slab (board) is suitable for fire rated A-class steel constructions where low weight plays an important role, such as, onboard passenger ships, naval ships and offshore supply vessels.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|---------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| DESNUDO | 30 | 600 | 1200 | 247992 | ■ | PAL | 10.08 | 14 | 120.96 | 12 | 1 | 22 | 2661.12 | 4.318 | € 27.87 |
| DESNUDO | 75 | 600 | 1000 | 319361 | ▲ | PAL | 1.80 | 3 | 36.00 | 20 | 22 | 25 | 900.00 | 3.6 | € 46.31 |
| ALU | 30 | 600 | 1000 | 289998 | ■ | PAL | 4.80 | 8 | 96.00 | 20 | 1 | 25 | 2400.00 | 3.6 | € 40.13 |
| GW-A | 30 | 600 | 1000 | 351956 | ■ | PAL | 4.80 | 8 | 96.00 | 20 | 1 | 25 | 2400.00 | 3.6 | € 46.41 |
| ALU-G | 30 | 600 | 1000 | 352949 | ▲ | PAL | 4.80 | 8 | 96.00 | 20 | 20 | 25 | 2400.00 | 3.6 | € 45.19 |
| ALU | 75 | 600 | 1000 | 319358 | ▲ | PAL | 1.80 | 3 | 36.00 | 20 | 22 | 25 | 900.00 | 3.6 | € 31.24 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox FM 6020 ALU



SeaRox FM 6020 ALU is a lightweight and flexible stone wool insulation mat (wrap), faced on one side with reinforced aluminium foil. Glass cloth (GW200, GW-A, ALU-G) facings are available upon request.

Application:

The mat (wrap) is suitable for fire rated A-class steel constructions where low weight plays an important role, such as onboard passenger ships, naval ships and offshore supply vessels



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|--------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| GW-A | 70 | 1000 | 3200 | 351994 | ▲ | PAL | 3.20 | 1 | 83.20 | 26 | 16 | 16 | 1331.20 | 5.4 | € 62.89 |
| ALU-G | 70 | 1000 | 3200 | 352985 | ▲ | PAL | 3.20 | 1 | 83.20 | 26 | 16 | 16 | 1331.20 | 5.4 | € 61.68 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox FM 6050 ALU

SeaRox FM 6050 ALU is a lightweight and flexible stone wool insulation mat (wrap), faced on one side with reinforced aluminium foil. Glass cloth (GW200, GW-A, ALU-G) facings are available upon request.



Application:

The mat (wrap) is suitable for fire rated A-class steel and aluminium constructions where low weight plays an important role, such as onboard passenger ships, naval ships and offshore supply vessels



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|--------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| ALU | 75 | 1000 | 2800 | 320841 | ■ | PAL | 2.80 | 1 | 72.80 | 26 | 1 | 16 | 1164.80 | 5.4 | € 45.71 |
| GW-A | 30 | 1000 | 7000 | 352270 | ▲ | PAL | 7.00 | 1 | 182.00 | 26 | 11 | 16 | 2912.00 | 5.4 | € 45.49 |
| GW-A | 75 | 1000 | 2800 | 351982 | ▲ | PAL | 2.80 | 1 | 72.80 | 26 | 11 | 16 | 1164.80 | 5.4 | € 76.94 |
| ALU-G | 30 | 1000 | 7000 | 352968 | ▲ | PAL | 7.00 | 1 | 182.00 | 26 | 11 | 16 | 2912.00 | 5.4 | € 44.58 |
| ALU-G | 75 | 1000 | 2800 | 352974 | ▲ | PAL | 2.80 | 1 | 72.80 | 26 | 11 | 16 | 1164.80 | 5.4 | € 75.72 |
| ALU | 30 | 1000 | 7000 | 338954 | ■ | PAL | 7.00 | 1 | 182.00 | 26 | 1 | 16 | 2912.00 | 5.4 | € 45.27 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox FM 6030 ALU

SeaRox FM 6030 ALU is a lightweight stone wool insulation mat (wrap), faced on one side with a reinforced aluminium foil.



Application:

The mat (wrap) is suitable for fire rated A-class steel constructions where low weight plays an important role, such as onboard passenger ships, naval ships and offshore supply vessels.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|--------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| ALU | 30 | 1000 | 7000 | 288845 | ■ | PAL | 7.00 | 1 | 182.00 | 26 | 1 | 16 | 2912.00 | 5.4 | € 46.77 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox FM 6040 ALU



SeaRox FM 6040 ALU is a lightweight and flexible stone wool insulation mat (wrap), faced on one side with reinforced aluminium foil. Glass cloth (GW200, GW-A, ALU-G) facings are available upon request.

Application:

The mat (wrap) is suitable for fire rated A-class steel and aluminium constructions where low weight plays an important role, such as onboard passenger ships, naval ships and offshore supply vessels.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|--------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| ALU | 35 | 1000 | 6400 | 333944 | ■ | PAL | 6.40 | 1 | 166.40 | 26 | 1 | 16 | 2662.40 | 5.4 | € 54.55 |
| ALU | 50 | 1000 | 5000 | 237999 | ■ | PAL | 5.00 | 1 | 130.00 | 26 | 1 | 16 | 2080.00 | 5.4 | € 77.93 |
| GW-A | 35 | 1000 | 6400 | 352265 | ■ | PAL | 6.40 | 1 | 166.40 | 26 | 1 | 16 | 2662.40 | 5.4 | € 45.80 |
| GW-A | 50 | 1000 | 5000 | 351971 | ■ | PAL | 5.00 | 1 | 130.00 | 26 | 1 | 16 | 2080.00 | 5.4 | € 52.51 |
| GW-A | 70 | 1000 | 3200 | 351977 | ▲ | PAL | 3.20 | 1 | 83.20 | 26 | 12 | 16 | 1331.20 | 5.4 | € 65.94 |
| ALU-G | 35 | 1000 | 6400 | 352946 | ■ | PAL | 6.40 | 1 | 166.40 | 26 | 1 | 16 | 2662.40 | 5.4 | € 44.58 |
| ALU-G | 50 | 1000 | 5000 | 352953 | ■ | PAL | 5.00 | 1 | 130.00 | 26 | 1 | 16 | 2080.00 | 5.4 | € 51.30 |
| ALU-G | 70 | 1000 | 3200 | 352966 | ■ | PAL | 3.20 | 1 | 83.20 | 26 | 1 | 16 | 1331.20 | 5.4 | € 64.73 |
| ALU | 70 | 1000 | 3200 | 317777 | ■ | PAL | 3.20 | 1 | 83.20 | 26 | 1 | 16 | 1331.20 | 5.4 | € 64.07 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox SL 320



SeaRox SL 320 is a semi-rigid stone wool insulation slab (board). Reinforced aluminium foil (ALU) and glass cloth (GW200, GW400, GW-A, ALU-G) facings are available upon request.

Application:

The slab (board) is suitable for acoustic insulation of bulkheads and decks.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|---------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| DESNUDO | 50 | 600 | 1000 | 116051 | ■ | PAL | 4.80 | 8 | 57.60 | 12 | 1 | 25 | 1440.00 | 3.6 | € 37.63 |
| DESNUDO | 75 | 600 | 1000 | 116042 | ■ | PAL | 3.60 | 6 | 36.00 | 10 | 1 | 25 | 900.00 | 3.6 | € 56.47 |
| ALU | 50 | 600 | 1000 | 119651 | ■ | PAL | 4.80 | 8 | 57.60 | 12 | 1 | 26 | 1497.60 | 3.45 | € 42.69 |
| ALU | 75 | 600 | 1000 | 188579 | ▲ | PAL | 3.00 | 5 | 36.00 | 12 | 25 | 26 | 936.00 | 3.45 | € 61.97 |
| GW-A | 50 | 600 | 1000 | 352347 | ▲ | PAL | 4.80 | 8 | 57.60 | 12 | 24 | 26 | 1497.60 | 3.45 | € 60.45 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox SL 340



SeaRox SL 340 is a semi-rigid stone wool insulation slab (board). Reinforced aluminium foil (ALU), black tissue (TB) and glass cloth facings (GW200, GW400, GW-A, ALU-G) facings are available upon request.

Application:

The slab (board) is suitable for acoustic insulation of bulkheads and decks.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|---------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|----------|
| DESNUDO | 30 | 600 | 1000 | 116056 | ▲ | PAL | 6.00 | 10 | 96.00 | 16 | 18 | 25 | 2400.00 | 3.6 | € 28.65 |
| DESNUDO | 50 | 600 | 1000 | 116058 | ■ | PAL | 3.60 | 6 | 57.60 | 16 | 1 | 25 | 1440.00 | 3.6 | € 50.18 |
| DESNUDO | 100 | 600 | 1000 | 116060 | ▲ | PAL | 1.80 | 3 | 28.80 | 16 | 18 | 25 | 720.00 | 3.6 | € 83.53 |
| ALU | 50 | 600 | 1000 | 116062 | ■ | PAL | 3.60 | 6 | 57.60 | 16 | 1 | 25 | 1440.00 | 3.6 | € 55.93 |
| ALU | 100 | 600 | 1000 | 205846 | ▲ | PAL | 1.80 | 3 | 28.80 | 16 | 18 | 25 | 720.00 | 3.6 | € 111.76 |
| TB | 50 | 600 | 1000 | 370830 | ▲ | PAL | 3.60 | 6 | 57.60 | 16 | 18 | 21 | 1209.60 | 3.6 | € 30.32 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox SL 436



SeaRox SL 436 is a semi-rigid stone wool insulation slab (board) with a special fibre structure for optimal dynamic stiffness.

Application:

The slab (board) is suitable for acoustic insulation of floating floors and forms part of an A-60 rated floating floor system.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|---------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| DESNUDO | 30 | 600 | 1000 | 236891 | ■ | PAL | 5.40 | 9 | 43.20 | 8 | 1 | 52 | 2246.40 | 1.827 | € 42.89 |
| DESNUDO | 40 | 600 | 1000 | 236886 | ■ | PAL | 4.20 | 7 | 33.60 | 8 | 1 | 52 | 1747.20 | 1.827 | € 57.81 |
| DESNUDO | 50 | 600 | 1000 | 236889 | ■ | PAL | 3.60 | 6 | 28.80 | 8 | 1 | 52 | 1497.60 | 1.827 | € 69.12 |
| DESNUDO | 60 | 600 | 1000 | 282546 | ▲ | PAL | 3.00 | 5 | 24.00 | 8 | 20 | 52 | 1248.00 | 1.827 | € 82.95 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox SL 440



SeaRox SL 440 is a rigid stone wool insulation slab (board). Neutral glass tissue (TN) facing is available upon request.

Application:

The slab (board) is primarily suitable for production of marine panels. It can be also used for insulation of floating floors with a pressure-equalizing plate of steel or moulding material, where high load capacity is required.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|---------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| DESNUDO | 40 | 600 | 1000 | 167261 | ▲ | PAL | 3.60 | 6 | 72.00 | 20 | 10 | 22 | 1584.00 | 4.286 | € 27.96 |
| DESNUDO | 50 | 600 | 1000 | 167263 | ▲ | PAL | 2.40 | 4 | 57.60 | 24 | 10 | 22 | 1267.20 | 4.286 | € 35.10 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox SL 480



SeaRox SL 480 is a strong and rigid stone wool insulation slab (board). Neutral glass tissue (TN) facing is available upon request.

Application:

The slab (board) is primarily suitable for production of marine panels as a slab or cut into lamellas. It can be also used for insulation of floating floors with a pressure-equalizing plate of steel or moulding material, where higher load capacity is required.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|---------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| DESNUDO | 30 | 600 | 1000 | 115959 | ■ | PAL | 2.40 | 4 | 96.00 | 40 | 1 | 25 | 2400.00 | 3.6 | € 63.43 |
| DESNUDO | 50 | 600 | 1000 | 116010 | ■ | PAL | 1.80 | 3 | 57.60 | 32 | 1 | 25 | 1440.00 | 3.6 | € 94.76 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox SL 620



SeaRox SL 620 is a semi-rigid stone wool insulation slab (board). Reinforced aluminium foil (ALU) and glass cloth (GW200, GW400, GW-A, ALU-G) facings are available upon request.

Application:

The slab (board) is suitable for fire rated A-class constructions of steel and aluminium bulkheads and decks.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|---------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| DESNUDO | 25 | 600 | 1000 | 115682 | ■ | PAL | 4.80 | 8 | 115.20 | 24 | 1 | 25 | 2880.00 | 3.6 | € 25.34 |
| DESNUDO | 30 | 600 | 1000 | 115704 | ■ | PAL | 4.80 | 8 | 96.00 | 20 | 1 | 25 | 2400.00 | 3.6 | € 34.21 |
| DESNUDO | 40 | 600 | 1200 | 255977 | ■ | PAL | 5.76 | 8 | 34.56 | 6 | 1 | 44 | 1520.64 | 2.159 | € 37.12 |
| DESNUDO | 50 | 600 | 1200 | 228764 | ● | PAL | 5.04 | 7 | 30.24 | 6 | 1 | 44 | 1330.56 | 2.159 | € 48.06 |
| DESNUDO | 60 | 600 | 1200 | 255978 | ■ | PAL | 3.60 | 5 | 28.80 | 8 | 1 | 44 | 1267.20 | 2.159 | € 55.68 |
| DESNUDO | 75 | 600 | 1200 | 255970 | ■ | PAL | 2.88 | 4 | 23.04 | 8 | 1 | 44 | 1013.76 | 2.159 | € 70.84 |
| ALU | 25 | 600 | 1000 | 115709 | ■ | PAL | 4.80 | 8 | 115.20 | 24 | 1 | 25 | 2880.00 | 3.6 | € 32.52 |
| ALU | 30 | 600 | 1000 | 115706 | ■ | PAL | 4.80 | 8 | 96.00 | 20 | 1 | 25 | 2400.00 | 3.6 | € 40.45 |
| ALU | 40 | 600 | 1200 | 302641 | ● | PAL | 5.76 | 8 | 34.56 | 6 | 1 | 44 | 1520.64 | 2.159 | € 47.31 |
| ALU | 50 | 600 | 1200 | 302635 | ■ | PAL | 5.04 | 7 | 30.24 | 6 | 1 | 44 | 1330.56 | 2.159 | € 54.85 |
| ALU | 60 | 600 | 1200 | 302907 | ● | PAL | 3.60 | 5 | 28.80 | 8 | 1 | 44 | 1267.20 | 2.159 | € 66.10 |
| ALU | 75 | 600 | 1200 | 302894 | ■ | PAL | 2.88 | 4 | 23.04 | 8 | 1 | 44 | 1013.76 | 2.159 | € 82.04 |
| GW-A | 25 | 600 | 1000 | 351887 | ■ | PAL | 4.80 | 8 | 115.20 | 24 | 1 | 25 | 2880.00 | 3.6 | € 46.71 |
| GW-A | 30 | 600 | 1000 | 351890 | ▲ | PAL | 4.80 | 8 | 96.00 | 20 | 14 | 25 | 2400.00 | 3.6 | € 50.07 |
| GW-A | 40 | 600 | 1000 | 351883 | ■ | PAL | 3.60 | 6 | 72.00 | 20 | 1 | 25 | 1800.00 | 3.6 | € 58.62 |
| GW-A | 50 | 600 | 1000 | 351888 | ■ | PAL | 2.40 | 4 | 57.60 | 24 | 1 | 25 | 1440.00 | 3.6 | € 67.17 |
| GW-A | 60 | 600 | 1000 | 351428 | ■ | PAL | 2.40 | 4 | 48.00 | 20 | 1 | 25 | 1200.00 | 3.6 | € 75.72 |
| ALU-G | 25 | 600 | 1000 | 352954 | ■ | PAL | 4.80 | 8 | 115.20 | 24 | 1 | 25 | 2880.00 | 3.6 | € 45.49 |
| ALU-G | 30 | 600 | 1000 | 352956 | ▲ | PAL | 4.80 | 8 | 96.00 | 20 | 14 | 25 | 2400.00 | 3.6 | € 48.85 |
| ALU-G | 40 | 600 | 1000 | 352958 | ■ | PAL | 3.60 | 6 | 72.00 | 20 | 1 | 25 | 1800.00 | 3.6 | € 57.70 |
| ALU-G | 50 | 600 | 1000 | 352961 | ▲ | PAL | 2.40 | 4 | 57.60 | 24 | 14 | 25 | 1440.00 | 3.6 | € 66.56 |
| ALU-G | 60 | 600 | 1000 | 352963 | ■ | PAL | 2.40 | 4 | 48.00 | 20 | 1 | 25 | 1200.00 | 3.6 | € 74.50 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox SL 640



SeaRox SL 640 is a rigid stone wool insulation slab (board). Reinforced aluminium foil (ALU) and glass cloth (GW200, GW400, GW-A, ALU-G) facings are available upon request.

Application:

The slab (board) is suitable for fire rated A-class constructions of steel bulkheads and decks.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|---------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| DESNUDO | 30 | 600 | 1000 | 115742 | ■ | PAL | 3.60 | 6 | 93.60 | 26 | 1 | 25 | 2340.00 | 3.6 | € 40.70 |
| DESNUDO | 40 | 600 | 1000 | 115743 | ■ | PAL | 3.00 | 5 | 72.00 | 24 | 1 | 25 | 1800.00 | 3.6 | € 54.60 |
| DESNUDO | 50 | 600 | 1000 | 115746 | ■ | PAL | 2.40 | 4 | 57.60 | 24 | 1 | 25 | 1440.00 | 3.6 | € 67.50 |
| DESNUDO | 65 | 600 | 1000 | 115747 | ▲ | PAL | 1.80 | 3 | 43.20 | 24 | 11 | 25 | 1080.00 | 3.6 | € 87.77 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox SL 720



SeaRox SL 720 is a soft, lightweight slab (board) made of stone wool. Reinforced aluminium foil (ALU) and glass cloth (GW200, GW400, GW-A, ALU-G) facings are available upon request.

Application:

The slab (board) is suitable for thermal insulation of bulkheads and decks to maintain a comfortable indoor climate.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|---------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| ALU-G | 75 | 600 | 1000 | 353331 | ▲ | PAL | 6.00 | 6 | 144.00 | 24 | 20 | 12 | 1728.00 | 7.5 | € 36.13 |
| GW-A | 75 | 600 | 1000 | 352710 | ■ | PAL | 3.60 | 6 | 86.40 | 24 | 1 | 12 | 1036.80 | 7.5 | € 61.35 |
| DESNUDO | 50 | 600 | 1000 | 116637 | ■ | PAL | 6.00 | 10 | 144.00 | 24 | 1 | 12 | 1728.00 | 7.5 | € 31.72 |
| DESNUDO | 100 | 600 | 1000 | 116639 | ■ | PAL | 3.00 | 5 | 72.00 | 24 | 1 | 12 | 864.00 | 7.5 | € 60.37 |
| ALU | 50 | 600 | 1000 | 116674 | ■ | PAL | 6.00 | 10 | 144.00 | 24 | 1 | 12 | 1728.00 | 7.5 | € 39.50 |
| ALU | 100 | 600 | 1000 | 116669 | ▲ | PAL | 3.00 | 5 | 72.00 | 24 | 18 | 12 | 864.00 | 7.5 | € 76.45 |
| GW-A | 50 | 600 | 1000 | 351937 | ■ | PAL | 6.00 | 10 | 144.00 | 24 | 1 | 12 | 1728.00 | 7.5 | € 50.99 |
| GW-A | 100 | 600 | 1000 | 352703 | ■ | PAL | 3.00 | 5 | 72.00 | 24 | 1 | 12 | 864.00 | 7.5 | € 76.94 |
| ALU-G | 50 | 600 | 1000 | 358328 | ▲ | PAL | 6.00 | 10 | 96.00 | 16 | 18 | 14 | 1344.00 | 6.4 | € 49.47 |
| ALU-G | 100 | 600 | 1000 | 358321 | ▲ | PAL | 3.00 | 5 | 48.00 | 16 | 20 | 12 | 576.00 | 6.46 | € 59.90 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox SL 740



SeaRox SL 740 is a semi-rigid and resilient stone wool insulation slab (board). Reinforced aluminium foil (ALU) and glass cloth (GW200, GW400, GW-A, ALU-G) facings are available upon request.

Application:

The slab (board) is suitable for thermal insulation of bulkheads and decks to maintain a comfortable indoor climate.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|---------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| DESNUDO | 30 | 600 | 1000 | 277482 | ■ | PAL | 9.00 | 15 | 144.00 | 16 | 1 | 14 | 2016.00 | 6.3 | € 21.21 |
| DESNUDO | 50 | 600 | 1000 | 116681 | ■ | PAL | 6.00 | 10 | 96.00 | 16 | 1 | 12 | 1152.00 | 7.5 | € 35.37 |
| DESNUDO | 100 | 600 | 1000 | 116683 | ■ | PAL | 3.00 | 5 | 48.00 | 16 | 1 | 14 | 672.00 | 6.3 | € 67.16 |
| ALU | 30 | 600 | 1000 | 116691 | ■ | PAL | 9.60 | 16 | 153.60 | 16 | 1 | 14 | 2150.40 | 6.92 | € 24.85 |
| ALU | 50 | 600 | 1000 | 116692 | ■ | PAL | 6.00 | 10 | 96.00 | 16 | 1 | 14 | 1344.00 | 6.92 | € 43.11 |
| ALU | 100 | 600 | 1000 | 116693 | ■ | PAL | 3.00 | 5 | 48.00 | 16 | 1 | 14 | 672.00 | 6.92 | € 83.84 |
| GW-A | 30 | 600 | 1000 | 351943 | ■ | PAL | 9.60 | 16 | 153.60 | 16 | 1 | 14 | 2150.40 | 6.92 | € 45.49 |
| GW-A | 50 | 600 | 1000 | 351894 | ■ | PAL | 6.00 | 10 | 96.00 | 16 | 1 | 14 | 1344.00 | 6.92 | € 57.41 |
| ALU-G | 30 | 600 | 1000 | 352957 | ▲ | PAL | 9.60 | 16 | 153.60 | 16 | 20 | 14 | 2150.40 | 6.92 | € 44.58 |
| ALU-G | 50 | 600 | 1000 | 352942 | ▲ | PAL | 6.00 | 10 | 96.00 | 16 | 19 | 14 | 1344.00 | 6.92 | € 56.18 |
| PLAIN | 30 | 600 | 1000 | 378069 | ■ | PAL | 10.80 | 18 | 172.80 | 16 | 1 | 24 | 4147.20 | 6.3 | € 21.21 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox LM 900 ALU



SeaRox LM 900 ALU is a stone wool insulation mat (wrap) consisting of lamellas, faced on one side with reinforced aluminium foil.

Application:

The lamella mat (wrap) is suitable for thermal insulation of pipes, tanks and ventilation ducts.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | MOQ | Loading factor | Price |
|--------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|-----|----------------|---------|
| ALU | 30 | 1000 | 8000 | 12936 | ■ | ROL | 8.00 | 1 | 1 | 0.3 | € 32.05 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox MA 7000 ALU



SeaRox MA 7000 ALU is a soft and lightweight stone wool insulation mat (wrap), faced on one side with a reinforced aluminium foil. Glass cloth (GW-A, ALU-G) facings are available upon request.

Application:

The mat (wrap) is suitable for thermal insulation of bulkheads and decks to maintain a comfortable indoor climate.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|--------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| ALU | 50 | 1000 | 3000 | 269260 | ■ | PAL | 6.00 | 2 | 156.00 | 26 | 1 | 16 | 2496.00 | 5.4 | € 34.03 |
| ALU | 100 | 1000 | 3000 | 269262 | ■ | PAL | 3.00 | 1 | 78.00 | 26 | 1 | 16 | 1248.00 | 5.4 | € 60.63 |
| GW-A | 50 | 1000 | 7000 | 352771 | ■ | PAL | 7.00 | 1 | 182.00 | 26 | 1 | 16 | 2912.00 | 5.4 | € 42.44 |
| GW-A | 100 | 1000 | 4000 | 351970 | ▲ | PAL | 4.00 | 1 | 104.00 | 26 | 15 | 16 | 1664.00 | 5.4 | € 55.26 |
| ALU-G | 50 | 1000 | 7000 | 352947 | ▲ | PAL | 7.00 | 1 | 182.00 | 26 | 14 | 16 | 2912.00 | 5.4 | € 41.52 |
| ALU-G | 100 | 1000 | 4000 | 352967 | ▲ | PAL | 4.00 | 1 | 104.00 | 26 | 15 | 16 | 1664.00 | 5.4 | € 53.73 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox MA 720 ALU



SeaRox MA 720 ALU is a soft, lightweight mat made of stone wool. SeaRox MA 720 ALU is supplied as a highly compressed roll. The product is as standard supplied with reinforced alu foil. Glass cloth (GW-A, ALU-G) facings are available upon request.

Application:

The mat (wrap) is suitable for thermal insulation of bulkheads and decks to maintain a comfortable indoor climate.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|--------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| ALU | 50 | 1000 | 7000 | 320570 | ■ | PAL | 7.00 | 1 | 182.00 | 26 | 1 | 16 | 2912.00 | 5.4 | € 26.40 |
| ALU | 100 | 1000 | 4000 | 116782 | ▲ | PAL | 4.00 | 1 | 104.00 | 26 | 13 | 16 | 1664.00 | 5.4 | € 46.18 |
| GW-A | 50 | 1000 | 7000 | 351973 | ■ | PAL | 7.00 | 1 | 182.00 | 26 | 1 | 16 | 2912.00 | 5.4 | € 43.05 |
| ALU-G | 50 | 1000 | 7000 | 352978 | ▲ | PAL | 7.00 | 1 | 182.00 | 26 | 14 | 16 | 2912.00 | 5.4 | € 41.83 |
| GW-A | 100 | 1000 | 4000 | 367809 | ■ | PAL | 4.00 | 1 | 104.00 | 26 | 13 | 16 | 1664.00 | 5.4 | € 66.19 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox MA 740 ALU



SeaRox MA 740 ALU is a soft, resilient roll made of stone wool. SeaRox MA 740 ALU is supplied as a highly compressed roll. The product is as standard supplied with reinforced alu foil. Glass cloth (GW-A, ALU-G) facings are available upon request.

Application:

The mat (wrap) is suitable for thermal insulation of bulkheads and decks to maintain a comfortable indoor climate.



[View product details online](#)



Price (excl.VAT) in m². Granulate / Loose Fill in KG

| Facing | Thickness (mm) | Width (mm) | Length (mm) | Product code | Delivery | Base Unit | m ² per pack / roll | Pieces /pack | m ² per base unit | Pack /pallet | MOQ | Pallet / Camion | Area / Camion | Loading factor | Price |
|--------|----------------|------------|-------------|--------------|----------|-----------|--------------------------------|--------------|------------------------------|--------------|-----|-----------------|---------------|----------------|---------|
| ALU | 30 | 1000 | 5000 | 116872 | ▲ | PAL | 10.00 | 2 | 220.00 | 22 | 14 | 15 | 3300.00 | 5.76 | € 35.03 |
| ALU | 50 | 1000 | 3000 | 116783 | ■ | PAL | 6.00 | 2 | 156.00 | 26 | 1 | 16 | 2496.00 | 5.4 | € 58.38 |
| GW-A | 30 | 1000 | 7000 | 353276 | ■ | PAL | 7.00 | 1 | 182.00 | 26 | 1 | 15 | 2730.00 | 5.76 | € 44.58 |
| ALU-G | 30 | 1000 | 7000 | 353671 | ▲ | PAL | 7.00 | 1 | 182.00 | 26 | 14 | 15 | 2730.00 | 5.76 | € 43.65 |
| ALU-G | 50 | 1000 | 6000 | 353449 | ▲ | PAL | 6.00 | 1 | 156.00 | 26 | 12 | 16 | 2496.00 | 5.4 | € 47.02 |

● A - 5 working days ■ B - 10 working days ▲ C - Information available upon request

SeaRox Tape ALU



SeaRox Tape ALU is a single-sided aluminium tape. The tape consists of an aluminium foil carrier with an acrylic dispersion adhesive that is lined with siliconised paper.

Application:

The tape is used for sealing of joints between SeaRox ALU and ALU-G faced stone wool products and for terminations towards metal surfaces.



[View product details online](#)



| Product code | Width (mm) | Length (mm) | Delivery | Base Unit | Rolls / box | m / roll | MOQ | Price / m |
|--------------|------------|-------------|----------|-----------|-------------|----------|-----|-----------|
| 364164 | 50 | 50000 | B | BOX | 24 | 50 | 1 | € 0.68 |
| 365001 | 75 | 50000 | B | BOX | 16 | 50 | 1 | € 1.01 |
| 366952 | 100 | 50000 | B | BOX | 12 | 50 | 1 | € 1.34 |

SeaRox Tape GW-A



SeaRox Tape GW-A is a white glass cloth composite tape on an aluminium foil backing.

Application:

The tape is used for sealing of joints between SeaRox ALU and ALU-G faced stone wool products and for terminations towards metal surfaces.



[View product details online](#)



| Product code | Width (mm) | Length (mm) | Delivery | Base Unit | Rolls / box | m / roll | MOQ | Price / m |
|--------------|------------|-------------|----------|-----------|-------------|----------|-----|-----------|
| 367011 | 70 | 50000 | B | BOX | 12 | 50 | 1 | € 1.34 |

SeaRox Tape ALU-G



SeaRox Tape ALU-G is a self-adhesive textured aluminium tape on a glass cloth backing, lined with siliconised paper.

Application:

The tape is used to seal joints between SeaRox ALU and ALU-G faced stone wool products.



[View product details online](#)



| Product code | Width (mm) | Length (mm) | Delivery | Base Unit | Rolls / box | m / roll | MOQ | Price / m |
|--------------|------------|-------------|----------|-----------|-------------|----------|-----|-----------|
| 367020 | 75 | 45000 | B | BOX | 16 | 45 | 1 | € 2.02 |
| 367791 | 100 | 45000 | B | BOX | 12 | 45 | 1 | € 2.69 |

SeaRox Glass cloth GW200



SeaRox Glass Cloth GW200 is a white glass cloth facing in approx. 210 g/m² supplied in rolls.

Application:

The facing is to be loosely applied on top of SeaRox stone wool insulation as the final surface



[View product details online](#)



| Product code | Width (mm) | Length (mm) | Delivery | Base Unit | m ² / roll | MOQ | Price / m ² |
|--------------|------------|-------------|----------|-----------|-----------------------|-----|------------------------|
| 349819 | 1000 | 100000 | B | ROL | 100 | 1 | € 18.27 |

SeaRox Glass cloth ALU-G / GW-A

SeaRox Glass Cloth ALU-G / GW-A is a composite glass cloth facing supplied in rolls consisting of aluminium foil and glass cloth in one.



Application:

The facing is to be loosely applied on top of SeaRox stone wool insulation as the final surface with either the glass cloth or the textured aluminium foil as the outer side.



[View product details online](#)



| Product code | Width (mm) | Length (mm) | Delivery | Base Unit | m2 / roll | MOQ | Price / m2 |
|--------------|------------|-------------|----------|-----------|-----------|-----|----------------|
| 346051 | 1000 | 100000 | B | ROL | 100 | 1 | € 26.88 |

SeaRox Acoustic foil

SeaRox Acoustic Foil is a very strong and durable 19 µm thin film highly resistant to oil mist.



Application:

The acoustic foil forms part of the optimal system for sound absorption specifically designed for engine rooms, cargo pump rooms and similar applications.



[View product details online](#)



| Product code | Width (mm) | Length (mm) | Delivery | Base Unit | m2 / roll | MOQ | Price / m2 |
|--------------|------------|-------------|----------|-----------|-----------|-----|----------------|
| 340540 | 1200 | 100000 | B | ROL | 120 | 1 | € 12.18 |

General terms and conditions of sale

1. DEFINITIONS

1.1. In these general terms and conditions (T&Cs) of sale, "ROCKWOOL" means the vendor stated in the quote, order confirmation, agreement or similar. This quote, order confirmation, agreement or similar together with these T&Cs are jointly referred to as "Agreement". Unless stated otherwise in writing by ROCKWOOL, these T&Cs are deemed to govern the Agreement, replacing any terms and conditions that may be part of Customer purchase orders or other documents; "Materials" means the products offered and supplied by ROCKWOOL; "Services" means the services that ROCKWOOL has an obligation to provide; and "Customer" means a natural person or legal entity that places an order or signs an Agreement with ROCKWOOL.

2. BINDING EFFECT

2.1. ROCKWOOL is bound only if the quote or order confirmation is accepted by the Customer without any changes or if ROCKWOOL has commenced fulfilment.
2.2. If the Customer feels the order confirmation is incorrect, it must notify ROCKWOOL of this within 2 (two) business days of the date of this order confirmation. If it does not, the confirmation order will be deemed binding.

3. DATA

3.1. The data the Customer shares with ROCKWOOL must be correct, complete and trustworthy.
3.2. ROCKWOOL has no obligation to assess the accuracy, completeness or trustworthiness of the data and information referred to in 3.1.
3.3. ROCKWOOL has an obligation to fulfil the order only if the Customer has shared all data and information required by ROCKWOOL. The Customer must compensate ROCKWOOL for any damage ROCKWOOL suffers due to the Customer sharing erroneous or inaccurate data or information.

4. CONFORMITY

4.1. All orders fulfilled by ROCKWOOL with regard to quantity, quality, performance and/or other characteristics relating to the Materials and Services of ROCKWOOL are prepared with due diligence, but ROCKWOOL is unable to guarantee the absence of, and is not responsible for, minor variations.

4.2. The Customer must check that the quantity, quality, performance and/or other characteristics are in conformity with that which has been established or agreed with ROCKWOOL without delay when the Materials are delivered and accepted and the Services are provided.

5. INTELLECTUAL PROPERTY

5.1. All intellectual and industrial property rights, such as design rights, brand rights, copyrights, patent rights, domain name rights, commercial secrets and other (quasi-) rights of intellectual property, packaging, source code, preparatory material and their names, and anything that ROCKWOOL develops in connection with the Materials and Services provided.

6. PRICES

6.1. Unless expressly agreed otherwise in writing, the prices established by ROCKWOOL are payable in the agreed currency, exclusive of VAT and any other taxes, duties or charges.
6.2. If ROCKWOOL undertakes to provide additional services without expressly budgeting a price for them or if an order volume is lower than the minimum set by ROCKWOOL, ROCKWOOL has the right to charge a reasonable rate for these services or orders.
6.3. ROCKWOOL has the right to change its prices and its pricelist. ROCKWOOL will notify the Customer in writing no later than 45 days prior to a price change. If prices are changed, the revised prices will apply to any order placed by the Customer after this notice period ends. Regardless of the order confirmations previously sent by ROCKWOOL, in the event of a price change, the change will apply to all orders delivered by ROCKWOOL after the date the new price becomes effective. If it does not agree with the new price, the Customer has the right to cancel the order within 48 hours of being notified of the price change.

7. DELIVERY

7.1. Unless stated otherwise, ROCKWOOL is bound by the delivery terms set and agreed. In the event of a delay, the Customer has the right to cancel the order, insofar as ROCKWOOL does not fulfil the order within a reasonable term set by the Customer.
7.2. ROCKWOOL supplies the Goods as per the specifications in the Agreement in accordance with agreed Incoterms, and decides how they are transported and by whom. If the Customer asks ROCKWOOL to transport, or contract transport for, the Goods to the Customer, the Customer will bear the costs and risks of this transport.

8. FORCE MAJEURE

8.1. The ICC force majeure clause 2003 applies to this Agreement.

8.2. Additional to that which is stated in 8.1, the following situations are deemed to fall within the meaning of force majeure: cyberterrorism or other types of cyberattack, security incidents, unintentional corruption or loss of data, and events of a similar nature.

9. DEFECTS

9.1. ROCKWOOL is not liable for defects ROCKWOOL deems to be the result of misuse, abuse or inappropriate installation or modification and ROCKWOOL has no obligation to repair or replace these Goods. If the Goods and Services of ROCKWOOL are shown to be defective, ROCKWOOL has the right to rectify these defects (or have them rectified) or to replace the Goods and Services, at the discretion of and as unilaterally decided by ROCKWOOL.

9.2. The Customer must notify ROCKWOOL in writing of any defect in connection with the Goods and Services and/or the performance of the Agreement as soon as the Customer becomes aware of the defect, and in any event within 15 (fifteen) business days of the Customer taking receipt of the Goods and/or Services. Any claims filed against ROCKWOOL after the aforementioned term are deemed to have lapsed and have been abandoned by the Customer.

9.3. The Customer must notify ROCKWOOL in writing of any inaccuracy in an invoice within 15 (fifteen) business days of the invoice date; otherwise the Customer will be deemed to have approved the invoice.

10. RESERVATION OF TITLE

10.1. ROCKWOOL retains title to the Goods delivered or to be delivered until full payment of these Goods is received from the Customer.

11. PAYMENT CONDITIONS

11.1. ROCKWOOL has the right to demand full or partial advance payment and/or a payment guarantee at any time.

11.2. Unless agreed otherwise in writing, invoices must be paid within 30 (thirty) calendar days of the invoice date in the currency and only in the way stated on the invoice.

11.3. Payments by the Customer will always be allocated in the following order: (i) to settle the costs due, (ii) to settle the interest due and (iii) to settle past due invoices. Unless agreed otherwise by ROCKWOOL in writing, the aforementioned allocation of payments will be applied regardless of what the Customer claims its payment covers.

11.4. In the event of non-payment, ROCKWOOL has the right to suspend deliveries and cancel the Agreement, and claim compensation from the Customer for any damage suffered.

12. LIMITATION OF LIABILITY

12.1 ROCKWOOL is not liable towards the Customer for any indirect and/or consequential damage or loss, including but not limited to damage to property, loss of profit or revenue, damage to its business reputation, loss of sales or any other similar incidental or consequential damage or loss.

12.2. Whenever ROCKWOOL has an obligation to pay direct damages, these will never exceed the amount of the invoice for the Products and/or Services provided.

12.3. All claims against ROCKWOOL, except those acknowledged by ROCKWOOL, expire 12 (twelve) months after the date of shipment of the Goods or the provision of the Services by ROCKWOOL.

12.4. ROCKWOOL makes no declaration or guarantee of any type, expressly or tacitly, to the Customer.

13. APPLICABLE LAW AND JURISDICTION

13.1. Every part of these General Terms and Conditions of Sale is governed by Spanish law.

13.2. The United Nations Convention on Contracts for the International Sale of Goods (1980) does not apply to this Agreement and is expressly rejected.

13.3 Relinquishing their own jurisdiction clause if they have one, Parties expressly submit to the Courts and Tribunals of the town of Tafalla, Navarra to settle any disputes or disagreements arising from the performance or interpretation of these General Terms and Conditions.

14. EXPORT CONTROLS AND SANCTIONS

ROCKWOOL complies with the export control regulations of the EU, the USA and the UN, as well as national rules that prohibit the sale of some products and services to some countries, companies and individuals.

14.2. If the Customer exports goods and services, the Customer must comply with the applicable export control regulations and sanctions.

15. ROCKWOOL CODE OF CONDUCT

15.1. ROCKWOOL adheres to a Code of Conduct that establishes a high level of integrity by ROCKWOOL. ROCKWOOL has joined the United Nations Global Pact, by which it undertakes to implement basic principles in the domains of human rights, labour, the environment and anti-corruption. ROCKWOOL expects the Customer to implement the same principles.

15.2. ROCKWOOL has a whistleblowing system that enables third parties to report serious and sensitive concerns about breaches of business ethics. For more information about the ROCKWOOL Code of Conduct, see www.rockwoolgroup.com.

16. MISCELLANEOUS

16.1. ROCKWOOL has the right, at its sole discretion, to contract one or more third parties to fulfil its obligations by virtue of these T&Cs.

16.2. ROCKWOOL has the right to transfer the present Agreement, without the consent of the Customer, to any affiliate, investee company or third party.



ROCKWOOL Technical Insulation

ROCKWOOL Technical Insulation, is part of the ROCKWOOL Group, and is offering advanced technical insulation solutions for the process industry as well as the marine & offshore.

At ROCKWOOL Group, we are committed to enriching the lives of everyone who comes into contact with our solutions. Our expertise is perfectly suited to tackling many of today's biggest sustainability and development challenges, from energy consumption and noise pollution to fire resilience, water scarcity and flooding. Our range of products reflects the diversity of the world's needs, while supporting our stakeholders in reducing their own carbon footprint.

Stone wool is a versatile material and forms the basis of all our businesses. With approx. 11,700 passionate colleagues in 39 countries, we are the world leader in stone wool solutions, from building insulation to acoustic ceilings, external cladding systems to horticultural solutions, engineered fibres for industrial use to insulation for the process industry and marine & offshore.

All statements correspond to our current range of knowledge and so are up to date. The examples of use outlined in this document serve exclusively as examples and do not take special circumstances of specific cases into account. Continual product development is very important to ROCKWOOL Technical Insulation. This means we work constantly to improve our products without prior notice. We therefore recommend you ensure you always have the latest edition of our publications, as our wealth of experience and knowledge is growing all the time. Should you require additional information for your specific application or if you have any technical queries, please contact our sales department or visit our website rti.rockwool.com.



ROCKWOOL Technical Insulation

ROCKWOOL Peninsular S.A.U.
Ctra. Zaragoza, Km. 53,5 N121
31380 Caparroso
Navarra, Spain
Tel. (+34) 902 430 430
Mobile: +34 606 345 832
E-mail: info@rockwool.es
rti.rockwool.com

ROCKWOOL Technical Insulation
is part of ROCKWOOL International A/S



ROCKWOOL® Technical Insulation, ROCKWOOL®, SeaRox® and ProRox® are registered trademarks of ROCKWOOL International A/S and can not be used without prior written consent. ROCKWOOL Technical Insulation reserves the right to change the information in this brochure without prior notice.